




COPPER BRASS RADIATORS




COPPER BRASS RADIATORS



AELN: FAN ON ENGINE

Model	A	B	C	D	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELN - 8	54.17 (1376)	37.01 (940)	18.23 (463)	9.84 (250)	17.69 (66.96)	360 (163)
AELN - 10	58.50 (1486)	42.91 (1090)	18.23 (463)	9.84 (250)	21.08 (79.79)	451 (205)
AELN - 12	58.50 (1486)	48.82 (1240)	18.23 (463)	9.84 (250)	24.29 (91.94)	525 (238)
AELN - 14	64.41 (1636)	50.79 (1290)	18.23 (463)	9.84 (250)	26.18 (99.11)	630 (286)
AELN - 16	66.77 (1696)	54.72 (1390)	18.23 (463)	9.84 (250)	28.78 (108.94)	724 (328)
AELN - 18	70.71 (1796)	56.69 (1440)	18.23 (463)	9.84 (250)	30.56 (115.68)	817 (371)
AELN - 20	70.71 (1796)	62.60 (1590)	18.23 (463)	9.84 (250)	33.96 (128.54)	910 (413)
AELN - 22	75.43 (1916)	62.60 (1590)	18.23 (463)	9.84 (250)	34.83 (131.86)	995 (451)
AELN - 24	78.58 (1996)	64.57 (1640)	18.23 (463)	9.84 (250)	36.62 (138.62)	1090 (494)
AELN - 27	81.73 (2076)	68.50 (1740)	18.23 (463)	9.84 (250)	39.67 (150.18)	1228 (557)
AELN - 32	88.62 (2243)	74.41 (1890)	18.23 (463)	9.84 (250)	44.32 (167.75)	1415 (642)
AELN - 40	97.28 (2471)	86.22 (2190)	18.23 (463)	9.84 (250)	52.97 (200.50)	1808 (820)
AELN - 48	97.28 (2471)	98.03 (2490)	18.23 (463)	9.84 (250)	60.90 (230.55)	2102 (953)





COPPER BRASS RADIATORS



AELF: FAN ON RADIATOR

Model	A	B	C	D	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELF - 8	54.17 (1376)	37.01 (940)	36.5 (927)	42.19 (1072)	18.37 (69.55)	639 (290)
AELF - 10	58.50 (1486)	42.91 (1090)	36.5 (927)	42.19 (1072)	21.06 (79.73)	758 (344)
AELF - 12	58.50 (1486)	48.82 (1240)	36.5 (927)	42.19 (1072)	24.27 (91.88)	853 (387)
AELF - 14	64.41 (1636)	50.79 (1290)	36.5 (927)	42.19 (1072)	26.17 (99.06)	979 (444)
AELF - 16	66.77 (1696)	54.72 (1390)	36.5 (927)	42.19 (1072)	28.76 (108.88)	1091 (495)
AELF - 18	70.71 (1796)	56.69 (1440)	36.5 (927)	42.19 (1072)	30.55 (115.63)	1197 (543)
AELF - 20	70.71 (1796)	62.60 (1590)	36.5 (927)	42.19 (1072)	33.94 (128.48)	1314 (596)
AELF - 22	75.43 (1916)	62.60 (1590)	36.5 (927)	42.19 (1072)	34.82 (131.80)	1402 (636)
AELF - 24	78.58 (1996)	64.57 (1640)	36.5 (927)	42.19 (1072)	36.61 (138.57)	1506 (683)
AELF - 27	81.73 (2076)	68.50 (1740)	36.5 (927)	42.19 (1072)	39.66 (150.12)	1687 (765)
AELF - 32	88.62 (2243)	74.41 (1890)	36.5 (927)	42.19 (1072)	46.00 (174.12)	2092 (949)
AELF - 40	97.28 (2471)	86.22 (2190)	36.5 (927)	42.19 (1072)	53.02 (200.68)	2542 (1153)
AELF - 48	97.28 (2471)	98.03 (2490)	36.5 (927)	42.19 (1072)	60.95 (230.73)	2766 (1255)
AELF - 56	108.78 (2763)	105.91 (2690)	36.5 (927)	42.19 (1072)	66.90 (253.24)	3327 (1509)
AELF - 64	113.50 (2883)	113.78 (2890)	36.5 (927)	42.19 (1072)	74.02 (280.19)	3719 (1687)
AELF - 72	121.38 (3083)	117.72 (2990)	36.5 (927)	42.19 (1072)	79.51 (300.98)	4105 (1862)
AELF - 80	121.38 (3083)	129.53 (3290)	36.5 (927)	42.19 (1072)	88.20 (333.86)	4517 (2049)
AELF - 88	130.83 (3323)	129.53 (3290)	36.5 (927)	42.19 (1072)	91.70 (347.13)	4870 (2209)
AELF - 96	137.11 (3483)	133.47 (3390)	36.5 (927)	42.19 (1072)	97.22 (368.01)	5254 (2382)
AELF - 108	143.43 (3643)	141.34 (3590)	36.5 (927)	42.19 (1072)	106.16 (401.87)	5805 (2633)



Inlet and outlet quantity, sizes and locations to match engine requirements.

Note: Dimensions, volumes, and weights are approximate. Consult AKG of America for certified drawings.



COPPER BRASS RADIATORS



AELVD: VERTICAL REMOTE COOLER

Direct Drive

Model	A	B	C	D	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELVD 8	54.17 (1376)	37.01 (940)	37.07 (942)	45.11 (1146)	17.69 (66.96)	693 (314)
AELVD 10	58.50 (1486)	42.91 (1090)	37.07 (942)	45.11 (1146)	21.08 (79.79)	868 (394)
AELVD 12	58.50 (1486)	48.82 (1240)	37.07 (942)	45.11 (1146)	24.29 (91.94)	1010 (458)
AELVD 14	64.41 (1636)	50.79 (1290)	37.07 (942)	45.11 (1146)	26.18 (99.11)	1212 (550)
AELVD 16	66.77 (1696)	54.72 (1390)	37.07 (942)	45.11 (1146)	28.78 (108.94)	1391 (631)
AELVD 18	70.71 (1796)	56.69 (1440)	37.07 (942)	45.11 (1146)	30.56 (115.68)	1571 (712)
AELVD 20	70.71 (1796)	62.60 (1590)	37.07 (942)	45.11 (1146)	33.96 (128.54)	1749 (793)
AELVD 22	75.43 (1916)	62.60 (1590)	37.07 (942)	45.11 (1146)	34.83 (131.86)	1913 (868)
AELVD 24	78.58 (1996)	64.57 (1640)	37.07 (942)	45.11 (1146)	36.62 (138.62)	2095 (950)
AELVD 27	81.73 (2076)	68.50 (1740)	37.07 (942)	45.11 (1146)	39.67 (150.18)	2360 (1070)
AELVD 32	88.62 (2251)	74.41 (1890)	37.07 (942)	45.11 (1146)	44.32 (167.75)	2720 (1234)



Inlet and outlet quantity, sizes and locations to match engine requirements.
 Note: Dimensions, volumes, and weights are approximate. Consult AKG of America for certified drawings.



COPPER BRASS RADIATORS



AELVB: VERTICAL REMOTE COOLER

Belt Drive

Model	A	B	C	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELVB 8	53.86 (1368)	37.01 (940)	63.25 (1607)	18.37 (69.55)	458 (208)
AELVB 10	53.19 (1478)	42.91 (1090)	63.25 (1607)	21.06 (79.73)	573 (260)
AELVB 12	53.19 (1478)	48.82 (1240)	63.25 (1607)	24.27 (91.88)	667 (303)
AELVB 14	58.19 (1628)	50.79 (1290)	63.25 (1607)	26.17 (99.06)	801 (363)
AELVB 16	66.46 (1688)	54.72 (1390)	63.25 (1607)	28.76 (108.88)	919 (417)
AELVB 18	70.39 (1788)	56.69 (1440)	63.25 (1607)	30.55 (115.63)	1038 (471)
AELVB 20	70.39 (1788)	62.60 (1590)	63.25 (1607)	33.94 (128.48)	1156 (524)
AELVB 22	75.12 (1908)	62.60 (1590)	63.25 (1607)	34.82 (131.80)	1264 (573)
AELVB 24	78.27 (1988)	64.57 (1640)	63.25 (1607)	36.61 (138.57)	1384 (628)
AELVB 27	81.48 (2068)	68.50 (1740)	63.25 (1607)	39.66 (150.12)	1559 (707)
AELVB 32	88.31 (2243)	74.41 (1890)	63.25 (1607)	46.00 (174.12)	1797 (815)
AELVB 40	96.97 (2463)	86.22 (2190)	63.25 (1607)	53.02 (200.68)	2297 (1042)
AELVB 48	96.97 (2463)	98.03 (2490)	63.25 (1607)	60.95 (230.73)	2669 (1211)
AELVB 56	108.19 (2748)	105.91 (2690)	63.25 (1607)	66.90 (253.24)	3202 (1453)
AELVB 64	112.91 (2868)	113.78 (2890)	63.25 (1607)	74.02 (280.19)	3678 (1668)
AELVB 72	120.79 (3068)	117.72 (2990)	63.25 (1607)	79.51 (300.98)	4152 (1883)
AELVB 80	120.79 (3068)	129.53 (3290)	63.25 (1607)	88.20 (333.86)	4622 (2097)
AELVB 88	130.24 (3308)	129.53 (3290)	63.25 (1607)	91.70 (347.13)	5056 (2511)
AELVB 96	236.24 (3308)	133.47 (3390)	63.25 (1607)	97.22 (368.01)	5536 (2511)
AELVB 108	142.83 (3628)	141.34 (3590)	63.25 (1607)	106.16 (401.87)	6237 (2829)



Inlet and outlet quantity, sizes and locations to match engine requirements.

Note: Dimensions, volumes, and weights are approximate. Consult AKG of America for certified drawings.



COPPER BRASS RADIATORS



AELHD: HORIZONTAL REMOTE COOLER

Direct Drive

Model	A	B	C	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELHD 8	53.66 (1363)	37.01 (940)	47.5 (1207)	17.69 (66.96)	799 (363)
AELHD 10	57.99 (1473)	42.91 (1090)	47.5 (1207)	21.08 (79.79)	1002 (454)
AELHD 12	57.99 (1473)	48.82 (1240)	47.5 (1207)	24.29 (91.94)	1166 (529)
AELHD 14	63.90 (1623)	50.79 (1290)	47.5 (1207)	26.18 (99.11)	1398 (634)
AELHD 16	66.26 (1683)	54.72 (1390)	47.5 (1207)	28.78 (108.94)	1606 (728)
AELHD 18	70.20 (1783)	56.69 (1440)	47.5 (1207)	30.56 (115.68)	1813 (822)
AELHD 20	70.20 (1783)	62.60 (1590)	47.5 (1207)	33.96 (128.54)	2019 (916)
AELHD 22	74.92 (1903)	62.60 (1590)	47.5 (1207)	34.83 (131.86)	2208 (1001)
AELHD 24	78.07 (1983)	64.57 (1640)	47.5 (1207)	36.62 (138.62)	2418 (1097)
AELHD 27	81.22 (2063)	68.50 (1740)	47.5 (1207)	39.67 (150.18)	2724 (1235)
AELHD 32	87.91 (2233)	74.41 (1890)	47.5 (1207)	44.32 (167.75)	3140 (1424)



Inlet and outlet quantity, sizes and locations to match engine requirements.

Note: Dimensions, volumes, and weights are approximate. Consult AKG of America for certified drawings.


COPPER BRASS RADIATORS



AELHB: HORIZONTAL REMOTE COOLER

Belt Drive

Model	A	B	C	Radiator Fluid Cap. Gallons (Liter)	Dry Weight LBS (Kg)
AELHB 8	53.35 (1355)	37.01 (940)	74.81 (1900)	17.69 (66.96)	522 (237)
AELHB 10	57.68 (1465)	42.91 (1090)	74.81 (1900)	21.08 (79.79)	655 (297)
AELHB 12	57.68 (1465)	48.82 (1240)	74.81 (1900)	24.29 (91.94)	762 (345)
AELHB 14	63.58 (1615)	50.79 (1290)	74.81 (1900)	26.18 (99.11)	914 (514)
AELHB 16	65.94 (1675)	54.72 (1390)	74.81 (1900)	28.78 (108.94)	1049 (476)
AELHB 18	68.88 (1775)	56.69 (1440)	74.81 (1900)	30.56 (115.68)	1185 (537)
AELHB 20	68.88 (1775)	62.60 (1590)	74.81 (1900)	33.96 (128.54)	1319 (598)
AELHB 22	74.61 (1895)	62.60 (1590)	74.81 (1900)	34.83 (131.86)	1443 (654)
AELHB 24	77.76 (1975)	64.57 (1640)	74.81 (1900)	36.62 (138.62)	1580 (717)
AELHB 27	81.02 (2058)	68.50 (1740)	74.81 (1900)	39.67 (150.18)	1780 (807)
AELHB 32	87.80 (2230)	74.41 (1890)	74.81 (1900)	44.32 (167.75)	2052 (931)
AELHB 40	96.46 (2450)	86.22 (2190)	74.81 (1900)	52.97 (200.50)	2622 (1189)
AELHB 48	96.46 (2450)	98.03 (2490)	74.81 (1900)	60.90 (230.55)	3047 (1382)
AELHB 56	108.27 (2750)	105.91 (2690)	74.81 (1900)	68.48 (259.24)	3655 (1658)
AELHB 64	112.99 (2870)	113.78 (2890)	74.81 (1900)	75.60 (286.19)	4198 (1904)
AELHB 72	120.87 (3070)	117.72 (2990)	74.81 (1900)	79.46 (300.79)	4739 (2150)
AELHB 80	120.87 (3070)	129.53 (3290)	74.81 (1900)	88.15 (33.67)	5276 (2393)
AELHB 88	130.31 (3310)	129.53 (3290)	74.81 (1900)	88.15 (33.67)	5771 (2618)
AELHB 96	136.61 (3470)	133.47 (3390)	74.81 (1900)	97.17 (367.83)	6319 (2866)
AELHB 108	142.91 (3630)	141.34 (3590)	74.81 (1900)	106.11 (401.68)	7119 (3229)



Inlet and outlet quantity, sizes and locations to match engine requirements.

Note: Dimensions, volumes, and weights are approximate. Consult AKG of America for certified drawings.



AKG of America

7315 Oakwood Street. Ext
Mebane, NC 27302-0189
USA

Tel: +1 919-563-4286

E-Mail: info@akg-america.com

Website: www.akg-america.com



AKG – A STRONG GLOBALLY INTEGRATED GROUP OF COMPANIES

AKG, founded in Hofgeismar, Germany, expanded to Mebane in 1981. AKG is a global, leading supplier of high-performance coolers and heat exchangers as well as customized system solutions that comply with the highest quality standards.

Worldwide, 2,300 employees work at 11 manufacturing facilities in Germany, France, United Kingdom, United States, Latvia, China, Turkey and India. Together with a number of additional sales companies, AKG is on duty around the clock.

The company has longstanding and successful partnerships with original equipment manufacturers (OEMs) in 24 industry segments, such as construction machinery, compressed-air systems, agricultural and forestry machines, vehicle construction and many other applications in served markets.

AKG operates two of the world's largest research, development, measurement and validation centers for cooling solutions and customized applications. For nearly 100 years, AKG has provided innovative solutions as well as skilled engineering and manufacturing competencies. v

AKG of America, Inc.

7315 Oakwood St. Ext.

Mebane, NC 27302

USA

Tel: +1 919-563-4286

E-Mail: info@akg-america.com

Website: www.akg-america.com

Copper Brass Coolers – Made by AKG
DIN EN ISO 9001 : 2015